



NO.222400904490390



# 运输危险性鉴定书

## Hazard Classification and Identification Report for Transport of Goods

### 普通货物

样品名称 : 铅酸蓄电池 AGM H8 12V 92Ah

Sample Name: Lead-acid Battery AGM H8 12V 92Ah

委托单位 : 柯锐世(长兴)电气有限公司  
Clarios (Changxing) Power Solutions Co. Ltd

生产单位 : 柯锐世(长兴)电气有限公司  
Clarios (Changxing) Power Solutions Co. Ltd



上海化工院检测有限公司  
SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.



# 运输危险性鉴定书

Hazard Classification and Identification Report  
for Transport of Goods

NO. 222400904490390

Page 1 / 3

样品名称 Sample Name	中文 Chinese	铅酸蓄电池 AGM H8 12V 92Ah
	英文 English	Lead-acid Battery AGM H8 12V 92Ah
委托单位 Applicant	柯锐世(长兴)电气有限公司 Clarios (Changxing) Power Solutions Co. Ltd	
生产单位 Manufacturer	柯锐世(长兴)电气有限公司 Clarios (Changxing) Power Solutions Co. Ltd	
检验方法、程序 Inspection Methods and Procedures	JT/T617-2018《危险货物道路运输规则》第2、3部分 JT/T 617-2018 Regulations concerning road transportation of dangerous goods Part 2 and 3	
样品外观与气味 Appearance & Odor	黑色塑胶外壳, 无臭 Black Plastics cement shell, Odorless	
I D E N T I F I C A T I O N  C O N C L U S I O N  鉴 定 结 论	1. 危险性识别(Hazards identification) 无。 None.	
	2. 公路运输按照JT/T 617-2018办理的类型(Suggestion according to JT/T 617-2018) 根据特殊规定238, 可不受本规则限制。 The product is not subject to JT/T 617-2018 according to special provision 238.	
3. 包装类别(Packing Group) 无。 None.		
检验日期: 2023-11-29      签发日期: 2023-11-29      生效日期: 2024-01-01 Inspection Date:      Issue Date:      Effective Date:		
备注 Comment		

批准  
Approver:

王宗

审核  
Checker:

董学胜

主检  
Appraiser:

孙伟



# 运输危险性鉴定书

Hazard Classification and Identification Report  
for Transport of Goods

NO. 222400904490390

Page 2 / 3

序号 NO	检验项目名称 Name of Test Items	标准要求或标准条款号 Standard requirement or The Clause Number of Standard	检测结果 Test Result	本项结论 Conclusion	备注 Remark
3	振动试验 Vibration test	联合国《关于危险货物运输的建议书 规章范本》3.3章特殊规定238(a) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(a)	合格。 Passed.	合格。 Passed.	/
6	压差试验 Pressure differential test	联合国《关于危险货物运输的建议书 规章范本》3.3章特殊规定238(a) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(a)	合格。 Passed.	合格。 Passed.	/
9	55℃漏液试验 Leakage test at 55℃	联合国《关于危险货物运输的建议书 规章范本》3.3章特殊规定238(b) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations Chapter 3.3 SPECIAL PROVISIONS 238(b)	合格。 Passed.	合格。 Passed.	/
备注 Comment	电池必须具有适当的防短路措施, 若是以电池为动力的装置、设备或车辆还须采取有效的防止意外启动措施。 The battery must be protected appropriately to prevent a short circuits and any battery powered device, equipment or vehicle must be effectively prepared to prevent unintentional activation.				




# 运输危险性鉴定书

Hazard Classification and Identification Report  
for Transport of Goods

NO. 222400904490390

Page 3 / 3



AGM H8 12-92Ah

\*\*\*报告结束\*\*\*